

COPYRIGHT:

DEUTSCH

DIESE DRUCKSCHRIFT UND ALLE IHRE BESTANDTEILE IST URHEBERRECHTLICH GESCHÜTZT.

ABBILDUNGEN, GRAFISCHE DARSTELLUNGEN, TEXTE ODER DIE DRUCKSCHRIFT INSGESAMT ODER IN TEILEN DÜRFEN NICHT OHNE VORHERIGE SCHRIFTLICHE GENEHMIGUNG NACHGEDRUCKT ODER SONST REPRODUZIERT WERDEN (Z. B. AUF CD-ROM ODER IM INTERNET).

WENN SIE DIESE PDF-DATEI FÜR IHREN PERSÖNLICHEN GEBRAUCH VON UNSERER INTERNET-SEITE KOPIERT HABEN, MÖCHTEN WIR DARAUF HINWEISEN, DASS ALLE DORT ZUR VERFÜGUNG GESTELLTEN DATEIEN OHNE JEDEN WEITERN HINWEIS AUF DEN NEUSTEN TECHNISCHEN STAND GEBRACHT WERDEN. DIE ÄNDERUNG VON TECHNISCHEN DATEN UND LIEFERUMFANG IST DAHER VORBEHALTEN.

COPYRIGHT:

ENGLISH

ALL ARTWORK, PICTURES AND TEXTS ARE COVERED BY OUR COPY-RIGHT.

THEY MUST NOT BE COPIED FOR REPRODUCTION (E.G. ON CD-ROM DISKS OR INTERNET-SITES) OR USED IN THEIR ENTIRE FORM OR IN EXCERPTS WITHOUT OUR PREVIOUS WRITTEN AGREEMENT.

IF YOU ARE DOWNLOADING PDF-FILES FROM OUR INTERNET HOME-PAGE FOR YOUR PERSONAL USE, MAKE SURE TO CHECK FOR UPDATED VERSIONS.

WE CANNOT TAKE ANY LIABILITY WHATSOEVER FOR DOWNLOADED FILES, AS TECHNICAL DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.

ARRI®

ARRIFLEX 16 mm Motion Picture Cameras



Lens Accessory System II
for bridge plate with support rods 15 mm dia.
and lightweight support

1 '97

Necessary Lens Accessories

for bridge plate with support rods **15mm dia.**
and lightweight support

ARRIFLEX 16SR 3
ARRIFLEX 16SR 3 HS

* not for use in Super 16
** if bridge plate BP-7 is used
adapter K2.47102.0 necessary
(use of MB-14 and MB-15 possible)

		Bridge Plate BP-7 K2.41010.0								Lightweight Support LWS-3 K2.47107.0								Clamp-On Matte Boxes				
		4"x5.65" Prod. Matte Box MB-18 K2.47178.A				4"x4" MB-16 K2.44472.A		Lens- Support		4"x5.65" Prod. Matte Box MB-19 K2.47099.0 **				4"x4" MB-17B K2.47247.0**		Lens- Support						
		Designation	Ident-No.	138 mm filter ring w. retaining ring 87	insert ring 80	138 mm filter ring w. retaining ring 100	insert ring 95	138 mm filter ring w. retaining ring 114	4 1/2" filter ring w. retaining ring 87	insert ring 80	lens support LS-10	support ring	138 mm filter ring w. retaining ring 87	insert ring 80	138 mm filter ring w. retaining ring 100	insert ring 95	138 mm filter ring w. retaining ring 114	4 1/2" filter ring w. retaining ring 87	insert ring 80	lens support LS-6	support ring	3"x3" lightweight matte box LMB-2
Lenses	Front Dia.																					
Zeiss	9.5 mm T 1.3 Distagon (16mm Format) 80 mm	●	●				●	●			●	●				●	●			●	●	
	12 mm T 1.3 Distagon (16mm Format) 80 mm	●	●				●	●			●	●				●	●			●	●	
	16 mm T 1.3 Distagon (16mm Format) 80 mm	●	●				●	●			●	●				●	●			●	●	
	25 mm T 1.3 Distagon (16mm Format) 80 mm	●	●				●	●			●	●				●	●			●	●	
	50 mm T 1.3 Planar (16mm Format) 80 mm	●	●				●	●			●	●				●	●			●	●	
	18 mm T 1.3 Distagon 80 mm	●	●				●	●			●	●				●	●			●	●	
	25 mm T 1.3 Distagon 80 mm	●	●				●	●			●	●				●	●			●	●	
	35 mm T 1.3 Distagon 80 mm	●	●				●	●			●	●				●	●			●	●	
	50 mm T 1.3 Planar 80 mm	●	●				●	●			●	●				●	●			●	●	
	65 mm T 1.3 Planar 80 mm	●	●				●	●			●	●				●	●			●	●	
	85 mm T 1.3 Planar 80 mm	●	●				●	●			●	●				●	●			●	●	
	* 8 mm T 2.1 Distagon (16mm Format) 80 mm	●	●				●	●			●	●				●	●			●	●	
	14 mm T 2.0 Distagon 114 mm					●									●							
	16 mm T 2.1 Distagon 80 mm	●	●				●	●			●	●				●	●			●	●	
	20 mm T 2.1 Distagon 80 mm	●	●				●	●			●	●				●	●			●	●	
	24 mm T 2.1 Distagon 80 mm	●	●				●	●			●	●				●	●			●	●	
	28 mm T 2.1 Distagon 80 mm	●	●				●	●			●	●				●	●			●	●	
	32 mm T 2.1 Planar 80 mm	●	●				●	●			●	●				●	●			●	●	
	40 mm T 2.1 Planar 80 mm	●	●				●	●			●	●				●	●			●	●	
	50 mm T 2.1 Planar 80 mm	●	●				●	●			●	●				●	●			●	●	
60 mm T 3.0 Makro-Planar 80 mm	●	●				●	●			●	●				●	●			●	●		
85 mm T 2.1 Planar 80 mm	●	●				●	●			●	●				●	●			●	●		
100 mm T 2.1 Planar 80 mm	●	●				●	●			●	●				●	●			●	●		
135 mm T 2.1 Planar 80 mm	●	●				●	●			●	●				●	●			●	●		
180 mm T 3.0 Sonnar 80 mm	●	●				●	●			●	●				●	●			●	●		
* 10-100mm T 2.0 Vario-Sonnar II (16mm Format) 87 mm	●					●			●	●	●				●			●	●	●	●	
11-110mm T 2.2 Vario-Sonnar (16mm Format) 87 mm	●					●			●	●	●				●			●	●	●	●	
Canon Angenieux	* 7-56mm T 2.1-2.3 Canon (16mm Format) 95 mm			●	●								●	●								
	8-64mm T 2.4-2.8 Canon (16mm Format) 95 mm			●	●								●	●								
	11.5-138mm T 2.5 Canon (16mm Format) 95 mm			●	●								●	●								
	* 10-120mm T 2.0 Angenieux (16mm Format) 114 mm					●									●							
	11.5-138mm T 2.3 Angenieux (16mm Format) 114 mm					●									●							



Ident-No.	Designation
K2.41010.0	bridge plate BP-7 with support rods 15mm dia.
K4.47348.0	support rods 340mm/pair (included in item BP-7)
K2.21958.0	support rods 240mm/pair
K5.21957.0	support rods 440mm/pair




Ident-No.	Designation
K2.47107.0	lightweight support LWS-3
K4.47566.0	support rod 1/pair (incl. in LWS-3) for Vario-Sonnar 10-100/11-110 with MB-19 and for prime lenses with MB-17B
K4.47567.0	support rod 2/pair (incl. in LWS-3) for Vario-Sonnar 10-100/11-110 with Mutar 2x and MB-17B
K2.47111.0	support rod 3/pair for standard lenses 16-85mm with MB-19
K2.47112.0	support rod 4/pair for standard lenses 28 / 100 / 135mm with MB-19
K2.47114.0	support rod 5/pair for Canon 11.5-138 with MB-19
K2.47113.0	support rod 6/pair for Canon 8-64 and Vario-Sonnar 10-100/11-110 with Mutar 2x and MB-19



ARNOLD & RICHTER CINE TECHNIK

TÜRKENSTR. 89 • D-80799 MÜNCHEN • TEL. (089) 3809-0
 FAX (089) 3809-1244 • <http://www.arri.com>



technical data are subject to change without notice
 K-No.: 09.91950.0